AMENDMENT UNDER 37 C.F.R. § 1.111 Application Serial No. 10/702,082 Attorney Docket No. Q77943

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): An image forming apparatus—which can be used with a plurality of attachment units each of which includes a controlled element, comprising:

a main section;

a plurality of attachment units which are attached to said main section in a cascade arrangement, and each of which includes a controlled element; and

a line group which connects said main section with said plurality of attachment units, and which establishes communications between said main section and said controlled elements which are respectively disposed to said plurality of attachment units, wherein

said line group includes signal lines and selective control lines,

said signal lines connect said controlled elements in parallel with said main section, to
thereby realize a communication between each one of said controlled elements and said main
section, and

units, to thereby select one of said attachment units to which said main section is to communicate

signal lines which connect said controlled elements said main section, to thereby realize a

communication between each one of said controlled elements and said main section; and

selective control-lines which connect said main section respectively with said attachment

units, to thereby select one of said attachment units to which said main section is to

communicate,

wherein said main section and said plurality of attachment units are connected with each

other in a cascade arrangement by a line group which contains said signal lines and said selective

control lines, and via said line group, communications are established between said main section

and said controlled elements which are respectively disposed to said plurality of attachment

units.

2. (original): The image forming apparatus of claim 1, wherein said selective control

lines are provided in accordance with a cascade connection count of said attachment units

relative to said main section.

3. (original): The image forming apparatus of claim 1, wherein when said main section

activates any one of said selective control lines, a current path is established via said signal lines

between said main section and said controlled element which is disposed to said attachment unit

which corresponds to thus activated selective control line.

4. (original): The image forming apparatus of claim 1, wherein each one of said

attachment units comprises:

3

an upstream-side connector which electrically connects said line group between this attachment unit and said attachment unit which is cascaded on the upstream side, which is closer to said main section than this attachment unit in the order of connection, or said main section; and

a downstream-side connector which electrically connects said line group between this attachment unit and said attachment unit which is cascaded on the downstream side which is opposite to the upstream side in the order of connection.

5. (currently amended): The image forming apparatus of claim 4, wherein said main section comprises a main-section connector to connect said line group electrically to said attachment unit, and

said main-section connector and said <u>upstream-sidedownstream-side</u> connector are structured so as to be connected with said <u>downstream-sideupstream-side</u> connector.

- 6. (original): The image forming apparatus of claim 4, wherein a relay substrate, which is for mutually connecting straight-joint harnesses connected respectively to said upstream-side connector and said downstream-side connector, is disposed inside each one of said attachment units.
- 7. (original): The image forming apparatus of claim 4, wherein in each one of said attachment units, internal wirings are installed between said upstream-side connector and said

AMENDMENT UNDER 37 C.F.R. § 1.111

Application Serial No. 10/702,082

Attorney Docket No. Q77943

downstream-side connector in such a manner that the position of a contact in said upstream-side

connector assigned to said selective control line corresponding to this attachment unit is identical

between said attachment units.

8. (original): The image forming apparatus of claim 1, wherein said plurality of

attachment units have the same function with each other.

9. (original): The image forming apparatus of claim 8, wherein said plurality of

attachment units have the same structure with each other.

10. (new): The image forming apparatus of claim 4, wherein

each one of said attachment units comprises a printed circuit board as a relay on which an

electric substrate is mounted, and

said electric circuit includes said controlled element, is connected to said upstream-side

connector with a group of straight cables, and is connected to said down-stream side connector

with another group of straight cables.

5